

### Southend Campus

Current Social Distancing Measure: 2m+

Ventilation Constraint (if yes): Max event length is 1hr; no consecutive events in the room

Room	Room Layout	2m+	1m+	Ventilation constraint	Zoom
GB.2.12	Meeting	TBC	TBC	No	Yes
GB.2.13	Tab Chairs	19	29	No	Yes
GB.2.19	Tab Chairs	17	23	No	Yes
GB.2.29	Meeting	TBC	2	No	Yes
GB.2.31	Front Facing	6	7	No	No
GB.2.32	Group	10	4	No	Yes
GB.2.33	Front Facing	11	27	No	Yes
GB.2.35	Inward	5	7	No	Yes
GB.2.39/2.40	Tab Chairs	8	15	No	Yes
GB.2.41	Tab Chairs	16	29	No	Yes
GB.2.42	Tab Chairs	14	29	No	No
GB.2.43	Front Facing	TBC	16	No	Yes
GB.3.23	Meeting	TBC	TBC	No	Yes
GB.3.46	Front Facing	11	28	No	Yes
GB.3.50	Front Facing	11	23	No	Yes
GB.3.51	Meeting	TBC	TBC	No	Yes
GB.3.52	Tab Chairs	13	29	No	Yes
GB.3.59	Meeting	TBC	TBC	No	Yes
IT Lab 1 (GB.3.53)	IT lab	9	18	No	Yes
IT Lab 2 (GB.2.34)	IT lab	3	3	No	No
TF.0.11	Front Facing	29	29	No	Yes
TF.0.34	Tab Chairs	7	19	No	Yes
TF.0.35	Tab Chairs	7	19	No	Yes
TF.2.06	Group	9	10	No	Yes
TF.2.08	Group	4	4	No	Yes
TF.2.10	Meeting	TBC	TBC	No	Yes
TF.2.13	Front Facing	7	14	No	Yes
TF.2.14	Tab Chairs	9	19	No	Yes
TF.2.15	Tab Chairs	9	19	No	Yes
TF.2.16	Tab Chairs	9	18	No	Yes
TF.2.27	Meeting	TBC	TBC	No	Yes
TF.2.42	Meeting	TBC	TBC	No	Yes
TF.2.59	Group	18	26	No	Yes

Updated: 24.06.21